



Hydranal® Reagents

800-877-3225

ONE COMPONENT VOLUMETRIC REAGENTS

Hydranal® Composites contain all the reactants (iodine, sulphur dioxide and imidazole) dissolved in diethyleneglycolmonomethyl ether (DEGEE). The loss of titre is less than 10% per year.

Volumetric reagents have a two-year minimum shelf life for an unopened bottle.

COMPOSITE REAGENTS

HYDRANAL® COMPOSITE 1

#34827	500 ml	83.17
One Component reagent	6x500ml	433.62
1ml = approx 0.7-1.0 mg H ₂ O	1 L	131.07
	6x1L	685.13

HYDRANAL® COMPOSITE 2

#34806	500 ml	83.17
One Component reagent	6x500 ml	433.62
1ml = approx. 2 mg H ₂ O	1 L	131.07
	6x1L	664.23
	2.5 L	284.36
	4x2.5L	986.62

#34806-SC-Composite 2

Honeywell's Smart Chemical	1 L	137.44
Hydranal™ bottles are embedded with an RFID chip	6x1 L	696.48

HYDRANAL® Composite 5

#34805	500 ml	83.17
General one component reagent	6x500 ml	433.62
1 ml = approx 5 mg H ₂ O	1 L	131.07
	6x1 L	685.13
	2.5 L	284.36
	4x2.5 L	986.62

#34805-SC-Composite 5

Honeywell's Smart Chemical	1 L	137.44
Hydranal™ bottles are embedded with an RFID chip	6x1L	718.38

Working Medium solvents to be used with Hydranal® Composite reagents

HYDRANAL® Liposolver CM

#37855	1 L	98.83
For water determination in non-polar substances like fats & oils. Contains chloroform and methanol.	6x1 L	505.26

HYDRANAL® Liposolver MH

#37856	1 L	110.77
For water determinations in non-polar substances like fats & oils. Contains methanol and hexane.	6x1 L	505.26

HYDRANAL® Methanol Dry

#34741	1 L	46.00
A custom made solvent for KF titration with a maximum water content of 100 ppm - 0.01%	6x1L	215.71
	2.5L	85.99
	4x2.5L	266.44

HYDRANAL® Methanol Rapid

#37817	1 L	53.60
Working medium containing accelerators for the determination of H ₂ O with shorter titration times.	6x1L	281.37
	2.5 L	118.22
	4x2.5L	412.72

HYDRANAL® Solver (Crude Oil)

#34697	1 L	126.73
Working medium containing xylene and chloroform for water determination of oils	6x1 L	660.50
	2.5 L	279.89
	4x2.5 L	968.71

SPECIALTY REAGENTS FOR ALDEHYDES & KETONES

HYDRANAL® Composite 5K

#34816	500 ml	111.82
Titant for water determination in ketones and aldehydes (1ml = approx 5 mg H ₂ O)	6x500ml	583.61
	1 L	180.62
	6x1 L	949.30
	2.5L	400.79
	4x2.5 L	1389.66

#34816-SC

Honeywell's Smart Chemical	1 L	189.40
Hydranal™ bottles are embedded with an RFID chip	6x1 L	995.39

HYDRANAL® Keto Solver

#34738	500 ml	87.64
Solvent component for water determination in aldehydes & ketones. Suppresses side reactions that generate water or consume titrant. Contains no halogenated compounds.	6x500ml	417.21
	1 l	128.38
	6x1 L	668.70

HYDRANAL® Working Medium

#34817	1 L	137.63
Solvent system which contains chloroethanol and chloroform. For the determination of water in aldehydes and ketones.	4x1 L	479.90

HYDRANAL® Medium K

#34698	1 L	136.58
Working Media used for volumetric KF titration in ketones & aldehydes to be used with Hydranal® Composite 5K.	6x1 L	676.90

HYDRANAL® Composolver E

#34734	1 L	78.81
An ethanol-based working medium formulated for use with the standard one-component Hydranal® Composites. It permits a methanol-free analysis using a single component reagent.	6x1 L	412.72
	2.5 L	162.72
	4x2.5 L	567.21

TWO COMPONENT VOLUMETRIC REAGENTS

With two component reagents, the reactants are in separate bottles. The titrant is a solution of iodine and alcohol. The solvent solution contains the sulphur dioxide and imidazole in a specific alcohol. The reagents remain stable and unchanged for a minimum of two years as long as the bottles remain unopened.

TITRANTS	500 ml	57.58
HYDRANAL® Titrant 2	6x500ml	301.37
#34811 DEA	1 L	101.24
One ml is equivalent to	6x1L	527.92
2ml ± 0.01 mg H ₂ O		
HYDRANAL® Titrant 5	500 ml	57.58
#34801 DEA	6x500 ml	301.37
One ml is equivalent to	1 L	108.89
5.00 ± 0.02 mg H ₂ O	6x1L	569.79
	2.5 L	219.87
	4x2.5 L	764.21
SOLVENTS New		
<u>Medium for Volumetric</u>		
<u>2 component titration</u>		
#34432 Hydranal® Solvent F1	1 L	125.42
Methanol based, free of imidazole	6x1L	652.43
#34431 Hydranal® Solvent E-F1	1 L	124.14
Ethanol based, free of imidazole	6x1 L	647.76
HYDRANAL® Solvent S	1 L	100.34
#34800	6x1 L	521.94
A methanol based standard solvent for	2.5 L	207.91
volumetric KF applications	4x2.5 L	721.60

HYDRANAL® Solvent CM	1 L	126.86
#34812	6x1 L	661.79
Solvent component containing methanol	2.5 L	252.77
and chloroform for the determination	4x2.5 L	873.40
of non-polar samples like oils & fats.		

HYDRANAL® Solvent Oil	1 L	126.99
#34749	6x1 L	661.79
For water determination in non-polar		
substances like fats and oils.		
Contains methanol and hexane.		

Specialty Reagents for Aldehydes and Ketones

HYDRANAL® Solvent E	1 L	99.32
#34730	6x1L	518.20
An ethanol based working medium	2.5 L	205.64
containing imidazole, sulphur dioxide and	4x2.5 L	714.12
diethanolamine. Can be used in the analysis of aldehydes and ketones		
when used with other methanol free reagents.		

HYDRANAL® Titrant 2E		
#34723 DEA	1 L	101.24
A two component reagent based on	6x1L	527.92
ethanol. Can be used with any combination		
of traditional solvents. When used with Hydranal® Solvent E,		
it provides a methanol-free system for the analysis with a titre of 2.		

HYDRANAL® Titrant 5E	500 ml	94.09
#34732 DEA	6x500mL	513.66
A two-component reagent based on ethanol	1 L	114.28
Can be used with any combination of	6x1 L	582.84
traditional reagents. When used with the		
Hydranal Solvent E, it provides a methanol.		
free system for the analysis with a titre of 5.		

COULOMETRIC REAGENTS

Coulometry usually requires the use of an anolyte and a catholyte. Hydranal® anolytes contain iodide and a sulphur dioxide/imidazole buffer in a suitable solvent. Coulometric reagents have a shelf life of 5 years, as long as bottle remains unopened.

ANOLYTES

HYDRANAL® Coulomat A	500 ml	138.10
#34807	6x500 ml	706.99

Anolyte standard two component coulometry

Contains methanol and chloroform as the solvents. Water capacity is >10 mg/ml.

HYDRANAL® Coulomat AG	500 ml	137.37
#34836	6x500ml	715.52

For coulometry in cells with or without a diaphragm.

Free of carbon tetrachloride and chloroform.

HYDRANAL® Coulomat AG-H	1 L	240.26
#34843	6x1 L	1253.53

Coulometric analysis for cells with or without a diaphragm. Effective for very polar samples (long-chained hydrocarbons). Free of carbon tetrachloride and chloroform

HYDRANAL® Coulomat Oil	500 ml	154.64
#34868	6x500 ml	836.23

Anolyte for determination of oils.

Based on methanol, with addition of aromatic and halogenated hydrocarbons to aid solubility.

HYDRANAL® Coulomat Oil	100ml	43.77
#34868	6x100ml	228.92

Anolyte for determination of oils.

Based on methanol, with addition of aromatic and halogenated hydrocarbons to aid solubility.

HYDRANAL® Coulomat Oil	500 ml	148.27
#34868	6x500 ml	775.47

Anolyte for determination of oils.

Based on methanol, with addition of aromatic and halogenated hydrocarbons to aid solubility.

HYDRANAL® Coulomat Oil	500 ml	148.34
#34868	6x500 ml	772.76

Methanol based, free of imidazole, free of

CMR substances

HYDRANAL® Coulomat AG-F1 Anolyte	500 ml	148.34
#34433	6x500 ml	772.76

Anolyte for coulometric Titration of ketones & Li-

Ion battery electrolytes preferred w/diaphragm

HYDRANAL® Coulomat LiB	500 ml	393.60
#34471	6x500 ml	2039.80

Acetonitrile based, free of alcohols

HYDRANAL® Coulomat AD	500 ml	179.10
#34810	6x500 ml	932.76

For coulometry in cells without a diaphragm.

Free of carbon tetrachloride and chloroform.

CATHOLYTES

HYDRANAL® Coulomat CG	50 ml	110.59
#34840	6x50 ml	578.50

Standard catholyte for coulometric cells with diaphragm. It contains protected ammonium salts as the reactive component and methanol.

HYDRANAL® Coulomat C-Fa	50 ml	364.60
#34470	6x50 ml	1894.26

Catholyte for Coulometric KF Titration of ketones

and Li-ion battery electrolytes. acetonitrile based,

free of alcohols.

CATHOLYTES-Aldehydes & Ketones

HYDRANAL® Coulomat AK	500 ml	320.01
#34820	6x500 ml	1658.42

Anolyte for coulometric water determination in samples containing ketones.

HYDRANAL® Coulomat CG-K

#34821	50 ml	282.63
	6x50 ml	1468.41

Catholyte for coulometric water determination in samples of aldehydes & ketones.

Packaged as 10x5ml ampoules.

SPECIALTY REAGENTS

HYDRANAL® Coulomat E	500 ml	161.18
#34726	6x500 ml	839.33

Replaces much of the methanol with ethanol reducing the toxicity without affecting performance. without a diaphragm.

HYDRANAL® Coulomat AF7	1 L	291.97
#34829	6x1 L	1526.03

Anolyte for two-component coulometry, specifically for the AF7 coulometer. It is used with Composite 5 as the catholyte.

SPECIALTY REAGENTS

HYDRANAL® STANDARDS

Standards are necessary to standardize and control reagents, to check reliability of the titrator and to test instruments according to the requirements of ISO9000, GMP, GLP and FDA guidelines. (A Manufacturer's Test certificate with exact specifications is included with each standard.)

CERTIFIED STANDARDS**HYDRANAL® Water standard 0.10**

#34847			
A certified standard containing 0.01 mg of H ₂ O per g (0.10 mg/g=0.01%).	40 ml	135.74	
40 ml is packaged as 10x4 ml ampoules.	6x40 ml	708.79	

HYDRANAL® Water Standard 1.0

#34828			
A certified standard containing 1.00 mg of H ₂ O per g (1 mg/g = 0.1%).	40 ml	135.74	
40 ml is packaged as 10x4ml ampoules.	6x40 ml	708.79	

HYDRANAL® Water Standard 10.0

#34849			
A certified standard containing 10.0 mg of H ₂ O per g (10 mg/g= 1%).	80 ml	135.74	
80 ml is packaged as 10 x 8 ml ampoules.	6x80 ml	708.79	

NEW**ISO GUIDE 34 WATER STANDARDS****HYDRANAL® CRM WATER STANDARDS**

#34425 Water content 10.0 mg/g = 1.0%	80ml(10x8ml)	159.17	
#34426 Water content 1.0 mg/g = 0.1%	40ml(10x4ml)	159.17	
#34446 Water content 0.1 mg/g = .01%	40ml(10x4ml)	135.74	
#34424 Solid CRM Standard, water content Approx. 15.66%	10 gm	133.68	

BUFFERS

#34804	500 ml	74.63	
For KF titrations of samples containing	6x500 ml	391.67	

HYDRANAL® Molecular Sieve 0.3nm

#34241	250gm	77.71	
--------	-------	-------	--

HYDRANAL® Buffer Base

#37859	1 L	127.66	
For KF titrations of samples containing Salicylic acid, Buffer capacity 1 mmoles base/ml.	6x1 L	666.22	

HYDRANAL® Humidity Absorber

#34788	500 gm	65.93	
	1 kg	109.36	

HYDRANAL® Formamide Dry

#34724	1 L	101.92	
	6x 1 L	438.20	

ADDITIONAL STANDARDS**HYDRANAL® Water Standard KF oven 220-230° C**

#34748	10 gm	93.16	
Solid standard specially designed to check control/validate KF ovens @ 229-230 ° C. Consists of finely milled potassium citrate-1-hydrate with a theoretical water content of 5.55% by weight.	6x10 gm	494.44	

HYDRANAL® Coulomat AG Oven

#34739	500 ml	161.18	
Anolyte for coulometric water determinations using a KF oven. Ensures low error even for long duration determinations. Free of halogenated hydrocarbons.	6x500ml	842.44	

HYDRANAL® Standard 5.0 Non-Hygroscopic test solution

#34813	100 ml	32.77	
A non-hygroscopic butanol/xylene mixture for volumetric standardization.	6x100 ml	169.86	
Water content is 5.00 ± 0.02 mg/ml	500 ml	84.56	
	6x500 ml	388.57	

HYDRANAL® Water in Methanol Standard 5.00

#34802	1 L	71.06	
A standard designed specifically for use in doing back titrations. Water content is 5.00 ± 0.02 mg/ml	500 ml	51.98	

HYDRANAL® Standard Sodium Tartrate-2-hydrate

#34803	100 gm	71.67	
A primary standard for volumetric titration.	6x100 gm	375.39	
Water content = 15.66 +/- 0.05%			

HYDRANAL® Water Standard Oil

#34694	80 ml	208.60	
A standard specifically designed for water determination in oils by coulometric titration. Water content in low ppm range.			

HYDRANAL® Water Standard KF Oven 140-160° C

#34693	10 gm	101.74	
Solid standard specifically designed to check/control/validate KF ovens @ 140-160 deg. C. Water content approx. 5% (exact value stated on C of A).			

HYDRANAL® Sodium Tartrate Dihydrate

#34696	25 gm	43.93	
	6x25 gm	263.62	

HYDRANAL® Chloroform

#37863	1 L	80.21	
	6x 1 L	417.28	

HYDRANAL® Xylene

#37866	1 L	97.59	
	6x1 L	509.56	

HYDRANAL® Salicylic acid

#37865	500 gm	56.32	
--------	--------	-------	--

HYDRANAL® Imidazole

#37864	500 gm	137.61	
--------	--------	--------	--

HYDRANAL® Benzoic acid

#32035	500 gm	67.02	
--------	--------	-------	--

#85001 KF Dry Alert

Desiccating Agent, Molecular Sieve 3A with Silica moisture indicator beads

500 gm	71.00
--------	-------